

Roosevelt Rd and Mannheim Rd

<Westbound and Northbound>



Westchester, IL RLR Follow-Up

Evaluation Report

(Amendatory Act of the 103rd General Assembly)

Reference No: 016-59804 April 2024

Daniel Babich Chief of Police

Westchester Police Department



10300 Roosevelt Rd Westchester, IL 60154 Administration (708) 345-0060 x449 Emergency (708) 343-2131 or **911**

April 10th, 2024

Jonathan E. Karabowicz, P.E. Acting Area Permit Engineer

Illinois Department of Transportation Bureau of Traffic 201 West Center Court Schaumburg, Illinois 60196-1096

Re: RLR 1 Year Follow-Up Evaluation Report Roosevelt Rd. and Mannheim Rd. (W/B and N/B) Village of Westchester Ref #: 016-59804

Dear Mr. Karabowicz,

Please find enclosed a copy of the 1 Year RLR Follow-Up Evaluation Report for the intersection of Roosevelt Road and Mannheim Rd in Westchester, Illinois.

The Village of Westchester has been diligently submitting all previously required follow up reports. This report was prepared in compliance with the new law, the amendatory Act of the 103rd General Assembly.

In this submittal, included are: RLR Camera Location, Implementation Date, System Manufacturer and Contractors, RLR Crash Data and Analysis, Traffic Volume History, Summary of Adjudication, and Summary section.

If you have any questions with regard to this submittal or require any additional information, please feel free to contact us at (708) 345-0060, mfellers@westchester-il.gov.

Best Regards,

amiel Babich

On behalf of the Village of Westchester Daniel Babich Chief of Police

RLR FOLLOW-UP EVALUATION REPORT CHECKLIST

Refer	ence 1	Number:		Date:
Loca	tion:			Firm:
Yes	No	N/A		
			Intersection location and RLR camera approach	es identified
			Date of RLR camera implementation	
			RLR camera system manufacturer and contractor	or name
			Crash data including 3 years prior to RLR ca	mera installation with post period
			Analysis of crash data	
			Signal timing changes	
			Traffic volumes before and after RLR cameras	
			Recommendations	
			Summary of adjudication experience and results	i

Table of Contents

- 1. RLR Camera Location, Live Date, System Manufacturer and Contractors
- 2. RLR Crash Data and Analysis
- 3. Traffic Volume
- 4. Summary of Adjudication
- 5. Report Summary and Recommendation



1. RLR Camera Location, Live Date, System Manufacturer and Contractor This report is prepared according to the amendatory Act of the 103rd General Assembly (k-8). Please note that 2023 data was not included in this report as 2023 crash data has not yet been released by the IDOT.


In 2013, the **Village of Westchester** received approval from the Illinois Department of Transportation (IDOT) to install the current Red Light Running (RLR) cameras on the **Westbound and Northbound** approaches at the intersection of **Roosevelt Rd and Mannheim Rd**.

- Date on which the cameras went live on the Westbound and Northbound approaches: 11/2013
- Date on which the 1 Year Follow-Up Evaluation Report was submitted to the IDOT: **12/2015**
- Date on which the 3 Year Follow-Up Evaluation Report was submitted to the IDOT: 02/2020
- Date on which the 2nd 3 Year Follow-Up Evaluation Report was submitted to the IDOT: 05/2022

No changes were made to the traffic signal timing or any other settings pertaining to operation of traffic signals at this intersection following the camera installation.

Below are the RLR camera system manufacturer and contractor information.

RLR Camera System Manufacturer	Electrical Contractor
AllTech Tracking, LLC 150 North Wacker Drive Floor 8 Chicago, IL 60606	Meade Electric Company 625 Willowbrook Center Parkway Willowbrook, IL 60527
Phone: (877) 237-2331 Fax: (877) 237-2302 Email: info@alltechtracking.com	Phone: (708) 588-2500 Fax: (708) 588-2501 Email: info@meadeelectric.com Web: meadeelectric.com
Key Contact: Ryan Kim, P.E. Phone: (312) 924-7248 Email: <u>rkim@alltechtracking.com</u>	Key Contact: Mr. Michael Knutson Phone: (708) 588-2500 Email: <u>mkk@meade100.com</u>



2. RLR Crash Data and Analysis

	Angle	Turning	Rear End	Pedestrian	Sideswipe	Fixed/Other Object	Total
2009	1	8	14	0	2	1	26
2010	0	2	10	0	0	0	12
2011	0	1	7	0	0	0	8
2012	0	2	13	0	0	0	15
2013	0	3	13	1	0	1	18
2014	0	1	12	2	0	0	15
2015	0	3	8	0	1	0	12
2016	3	1	7	0	2	0	13
2017	0	4	6	0	0	0	10
2018	0	2	7	0	0	0	9
2019	0	2	8	0	2	0	12
2020	0	3	5	0	2	0	10
2021	4	2	9	0	2	0	17
2022	1	1	7	0	0	1	10

The table below shows a summary of motor vehicle crashes at the intersection of **Roosevelt Rd** and **Mannheim Rd** over a span of 14 years*.


The data from 2009-2012 shows the period prior to the installation of the RLR cameras.

The data from 2013 shows the year in which the cameras were installed.

The data from 2014-2022 shows the period following the installation.

* DISCLAIMER: The motor vehicle crash data referenced herein was provided by the Illinois Department of Transportation. Any conclusions drawn from analysis of the aforementioned data are the sole responsibility of the data recipient(s). Additionally, for coding years 2015 to present, the Bureau of Data Collection uses the exact latitude/longitude supplied by the investigating law enforcement agency to locate crashes. Therefore, location data may vary in previous years since data prior to 2015 was physically located by bureau personnel.

The Chart below shows the trend of each crash type from 2009-2022.



	Type Year	Angle	Turning	Rear End	Other*	Total	Yearly Average
	2009	1	8	14	3	26	
Before	2010	0	2	10	0	12	15.25
Installation	2011	0	1	7	0	8	15.25
	2012	0	2	13	0	15	
	2013	0	3	13	2	18	
	2014	0	1	12	2	15	
	2015	0	3	8	1	12	
	2016	3	1	7	2	13	
	2017	0	4	6	0	10	
After Installation	2018	0	2	7	0	9	12
mstandtion	2019	0	2	8	2	12	
	2020	0	3	5	2	10	
	2021	4	2	9	2	17	
	2022	1	1	7	1	10	

* Other crashes include: Pedestrian, Sideswipe and Fixed/Other Object.

From 2009-2012, prior to RLR camera installation, there were 61 total crashes; this averages out to 15.25 crashes a year.

From 2014-2022, post RLR camera installation, there were 108 total crashes; this averages out to 12 crashes per year - a 21.31% reduction of overall crashes in direct comparison with the time period aforementioned.

The following pages contain crash data summary pages from 2009-2022. The complete crash data can be obtained by contacting the IDOT via <u>DOT.DTS.DataRequests@illinois.gov</u>.



By: CENTRAL\ADAMSCH

Page: 6 of 8

Collision Diagram

1/1/2009 to 12/31/2009

	TOTAL CRASHES	FA1 CRASH		A INJURY CRASHES	B INJURY CRASHES	C INJ CRAS		PROPERTY DAMAGE CRASHES	TOTAL KILLED	TC INJU		A INJURIES	B INJURIES	C INJU	RIES
	<u>26</u>		<u>0</u>	<u>0</u>	<u>4</u>		<u>3</u>	<u>19</u>	<u>0</u>		<u>10</u>	<u>0</u>	<u>4</u>		<u>6</u>
Туј	be of Crash	Total	%	Dayof Wk		Total	%	Hour of Day		Total	%		Vehicle Type	Total	%
10-	Turning	8	30.8%	Monday		2	7.7%	06 AM		1	3.8%	Bus o	over 15 pass.	1	1.9%
11-	Rear end	14	53.8%	Tuesday		10	38.5%	07 AM		1	3.8%	Bus u	p to 15 pass	2	3.8%
12-	Sideswipe same direction	2	7.7%	Wednesda	Ŋ	2	7.7%	08 AM		4	15.4%	Pass	enger	30	57.7%
15-	Angle	1	3.8%	Thursday		1	3.8%	09 AM		4	15.4%	Picku	р	1	1.9%
6-F	ixed object	1	3.8%	Friday		9	34.6%	10 AM		1	3.8%	Sport	utility vehicle (SUV)	6	11.5%
то	TAL:	26		Saturday		1	3.8%	11 AM		3	11.5%	Tract	or w/ semi-trailer	1	1.9%
				Sunday		1	3.8%	1 PM		1	3.8%	Tract	or w/o semi-trailer	1	1.9%
				TOTAL:		26		2 PM		3	11.5%	Truck	a – single unit	1	1.9%
								3 PM		1	3.8%	Unkn	own/NA	1	1.9%
								4 PM		3	11.5%	Van/r	nini van	8	15.4%
								5 PM		2	7.7%	тотл	AL:	52	
								6 PM		1	3.8%				
								11 PM		1	3.8%				
								TOTAL:		26					
We	ather Cond	Total	%	Light Cor	nd	Total	%	Road Surface		Total	%	DIRP		Total	%
Cle	ar	19	73.1%	Darkness/	Lighted road	2	7.7%	Dry		19	73.1%	East		15	28.8%
Oth	er	1	3.8%	Daylight		23	88.5%	Snow or slush		2	7.7%	North		12	23.1%
Rai	n	3	11.5%	Dusk		1	3.8%	Wet		5	19.2%	North	east	1	1.9%
Sno	W	3	11.5%	TOTAL:		26		TOTAL:		26		North	west	2	3.8%
то	TAL:	26										South	1	13	25.0%



By: CENTRAL\ADAMSCH

Page : 4 of 5

Collision Diagram

1/1/2010 to 12/31/2010

	TOTAL CRASHES	FAT CRASH	TAL A I IES CR	INJURY ASHES	B INJURY CRASHES	C INJU CRASH		PROPERTY DAMAGE CRASHES	TOTAL KILLED	T(INJL	OTAL JRED	A INJURIES	B INJURIES	C INJUF	RIES
	<u>12</u>		<u>0</u>	<u>0</u>	<u>1</u>		<u>0</u>	<u>11</u>	<u>0</u>		<u>1</u>	<u>0</u>	<u>1</u>		<u>0</u>
Ţ	/pe of Crash	Total	%	Dayof W	ſ	Total	%	Hour of Day		Total	%		Vehicle Type	Total	%
10)-Turning	2	16.7%	Monday		2	16.7%	07 AM		1	8.3%	Passe	nger	15	62.5%
11	-Rear end	10	83.3%	Wednesda	ау	3	25.0%	08 AM		1	8.3%	Pickup	0	2	8.3%
T	OTAL:	12		Thursday		2	16.7%	09 AM		2	16.7%	Sport	utility vehicle (SUV)	2	8.3%
				Friday		2	16.7%	10 AM		1	8.3%	Truck	 single unit 	1	4.2%
				Sunday		3	25.0%	Noon		1	8.3%	Van/m	nini van	4	16.7%
				TOTAL:		12		2 PM		1	8.3%	ΤΟΤΑ	L:	24	
								3 PM		1	8.3%				
								6 PM		3	25.0%				
								11 PM		1	8.3%				
								TOTAL:		12					
и	leather Cond	Total	%	Light Co	nd	Total	%	Road Surface		Total	%	DIRP		Total	%
C	ear	8	66.7%	Darkness	/Lighted road	2	16.7%	Dry		7	58.3%	East		9	37.5%
R	ain	2	16.7%	Daylight		10	83.3%	Snow or slush		1	8.3%	North		1	4.2%
Si	wor	1	8.3%	TOTAL:		12		Unknown		1	8.3%	Northe	east	2	8.3%
U	nknown	1	8.3%					Wet		3	25.0%	South		8	33.3%
T	OTAL:	12						TOTAL:		12		West		4	16.7%
												ΤΟΤΑ	L:	24	



By: CENTRAL\ADAMSCH

Page : 3 of 4

Collision Diagram

1/1/2011 to 12/31/2011

	TOTAL CRASHES	FA ⁻ CRASH		INJURY RASHES	B INJURY CRASHES	C INJI CRASI		PROPERTY DAMAGE CRASHES	TOTAL KILLED		OTAL JRED	A INJURIES	B INJURIES	C INJUR	IES
	<u>8</u>		<u>0</u>	<u>0</u>	<u>3</u>		1	<u>4</u>	<u>0</u>		<u>4</u>	<u>0</u>	<u>3</u>		1
Ту	be of Crash	Total	%	Dayof W	k	Total	%	Hour of Day		Total	%		Vehicle Type	Total	%
10-	Turning	1	12.5%	Monday		1	12.5%	08 AM		1	12.5%	B Passe	enger	15	83.3%
11-	Rear end	7	87.5%	Tuesday		5	62.5%	09 AM		1	12.5%	5 Pickuj	þ	1	5.6%
то	TAL:	8		Wednesd	ay	1	12.5%	1 PM		1	12.5%	5 Sport	utility vehicle (SUV)	1	5.6%
				Saturday		1	12.5%	3 PM		1	12.5%	5 Van/m	nini van	1	5.6%
				TOTAL:		8		4 PM		2	25.0%	δ ΤΟΤΑ	L:	18	
								6 PM		1	12.5%				
								10 PM		1	12.5%				
								TOTAL:		8					
We	eather Cond	Total	%	Light Co	nd	Total	%	Road Surface		Total	%	DIRP		Total	%
Cle	ar	5	62.5%	Darkness	/Lighted road	1	12.5%	Dry		5	62.5%	East		6	33.3%
Ra	'n	2	25.0%	Daylight		7	87.5%	Snow or slush		1	12.5%	S North		5	27.8%
Sn	w	1	12.5%	TOTAL:		8		Unknown		1	12.5%	South		7	38.9%
то	TAL:	8						Wet		1	12.5%	δ ΤΟΤΑ	L:	18	
								TOTAL:		8					



By: CENTRAL\SPERRYSJ

Page : 4 of 5

Collision Diagram

1/1/2012 to 12/31/2012

	TOTAL CRASHES	FAT CRASH	AL A ES CF	INJURY RASHES	B INJURY CRASHES	C INJ CRAS	URY HES	PROPERTY DAMAGE CRASHES	TOTAL KILLED	T(INJL	OTAL JRED	A INJURIES	B INJURIES	C INJU	RIES
	<u>15</u>		0	<u>1</u>	<u>2</u>		<u>3</u>	<u>9</u>	<u>0</u>		<u>6</u>	1	2		<u>3</u>
Ţ	/pe of Crash	Total	%	Dayof Wk		Total	%	Hour of Day		Total	%		Vehicle Type	Total	%
R	ear End	13	86.7%	Monday		5	33.3%	07 AM		2	13.3%	Passen	ger	18	58.1%
Т	urning	2	13.3%	Tuesday		1	6.7%	08 AM		1	6.7%	SUV		9	29.0%
T	OTAL:	15		Wednesda	y	4	26.7%	10 AM		1	6.7%	Tractor	With Semi-Trailer	1	3.2%
				Thursday		1	6.7%	Noon		1	6.7%	Van/Min	ii-Van	3	9.7%
				Saturday		3	20.0%	1 PM		2	13.3%	TOTAL	:	31	
				Sunday		1	6.7%	3 PM		2	13.3%				
				TOTAL:		15		4 PM		2	13.3%				
								5 PM		1	6.7%				
								7 PM		2	13.3%				
								10 PM		1	6.7%				
								TOTAL:		15					
и	eather Cond	Total	%	Light Cor	nd	Total	%	Road Surface)	Total	%	DIRP		Total	%
C	ear	14	93.3%	Darkness		1	6.7%	Dry		13	86.7%	East		7	22.6%
Si	now	1	6.7%	Darkness,	Lighted Road	3	20.0%	Snow or Slush	1	1	6.7%	North		7	22.6%
T	OTAL:	15		Daylight		11	73.3%	Wet		1	6.7%	South		9	29.0%
				TOTAL:		15		TOTAL:		15		West		8	25.8%
												TOTAL	:	31	



By: CENTRAL\SPERRYSJ

Page : 5 of 7

Collision Diagram

1/1/2013 to 12/31/2013

	TOTAL CRASHES	FAT CRASH	AL A ES CI	A INJURY B RASHES CF	INJURY RASHES	C INJU CRASH	JRY HES	PROPERTY DAMAGE CRASHES	TOTAL KILLED	T(INJL	OTAL JRED	A INJURIES	B INJURIES	C INJUF	RIES
	<u>18</u>		0	<u>0</u>	1		<u>4</u>	<u>13</u>	<u>0</u>		<u>6</u>	<u>0</u>	<u>2</u>		<u>4</u>
Ту	pe of Crash	Total	%	Dayof Wk		Total	%	Hour of Day		Total	%		Vehicle Type	Total	%
Ot	ner Object	1	5.6%	Monday		2	11.1%	01 AM		1	5.6%	Passe	enger	24	66.7%
Pe	destrian	1	5.6%	Tuesday		3	16.7%	06 AM		1	5.6%	SUV		5	13.9%
Re	ar End	13	72.2%	Wednesday		5	27.8%	08 AM		4	22.2%	Tracto	or With Semi-Trailer	1	2.8%
Tu	rning	3	16.7%	Thursday		1	5.6%	09 AM		1	5.6%	Truck	Single Unit	2	5.6%
тс	DTAL:	18		Friday		4	22.2%	11 AM		1	5.6%	Van/M	1ini-Van	4	11.1%
				Saturday		2	11.1%	Noon		1	5.6%	τοτΑ	L:	36	
				Sunday		1	5.6%	1 PM		2	11.1%				
				TOTAL:		18		2 PM		2	11.1%				
								3 PM		2	11.1%				
								6 PM		1	5.6%				
								9 PM		1	5.6%				
								10 PM		1	5.6%				
								TOTAL:		18					
W	eather Cond	Total	%	Light Cond		Total	%	Road Surface		Total	%	DIRP		Total	%
Cle	ar	16	88.9%	Darkness/ Ligh	nted Road	4	22.2%	Dry		14	77.8%	East		14	38.9%
Ra	in	1	5.6%	Daylight		14	77.8%	Wet		4	22.2%	North		7	19.4%
Sn	ow	1	5.6%	TOTAL:		18		TOTAL:		18		South		13	36.1%
тс	DTAL:	18										South	west	1	2.8%
												West		1	2.8%
												ΤΟΤΑ	L:	36	



By: CENTRAL\ADAMSCH

Page : 4 of 5

Collision Diagram

1/1/2014 to 12/31/2014

	TOTAL CRASHES	FAT CRASH	AL / ES C	A INJURY CRASHES	B INJURY CRASHES	C INJ CRAS		PROPERTY DAMAGE CRASHES	TOTAL KILLED		OTAL JRED	A INJURIES	B INJURIES	C INJUR	IES
	<u>15</u>		<u>0</u>	<u>1</u>	<u>1</u>		<u>4</u>	<u>9</u>	<u>0</u>		<u>9</u>	<u>1</u>	<u>1</u>		Z
ту	vpe of Crash	Total	%	Dayof Wk		Total	%	Hour of Day		Total	%		Vehicle Type	Total	%
Pe	edestrian	2	13.3%	Monday		1	6.7%	06 AM		1	6.7%	Passeng	jer	18	64.3%
Re	ear End	12	80.0%	Tuesday		4	26.7%	07 AM		4	26.7%	Pickup		1	3.6%
Tu	Irning	1	6.7%	Wednesda	у	1	6.7%	08 AM		1	6.7%	SUV		6	21.4%
т	DTAL:	15		Thursday		3	20.0%	09 AM		2	13.3%	Unknow	n	1	3.6%
				Friday		2	13.3%	Noon		1	6.7%	Van/Min	i-Van	2	7.1%
				Saturday		1	6.7%	1 PM		1	6.7%	TOTAL:		28	
				Sunday		3	20.0%	2 PM		1	6.7%				
				TOTAL:		15		5 PM		1	6.7%				
								6 PM		2	13.3%				
								9 PM		1	6.7%				
								TOTAL:		15					
w	eather Cond	Total	%	Light Con	d	Total	%	Road Surface		Total	%	DIRP		Total	%
Cl	ear	10	66.7%	Darkness/	Lighted Road	3	20.0%	Dry		8	53.3%	East		12	42.9%
Cl	oudy/Overcast	2	13.3%	Dawn		2	13.3%	Snow or Slush		3	20.0%	North		7	25.0%
Sr	NOW	3	20.0%	Daylight		10	66.7%	Unknown		2	13.3%	South		9	32.1%
т	DTAL:	15		TOTAL:		15		Wet		2	13.3%	TOTAL:		28	
								TOTAL:		15					



By: CENTRAL\ADAMSCH

Page : 4 of 5

Coordinate Collision Diagram Report

1/1/2015 to 12/31/2015

For XCoordinate 2918779.19291442 : YCoordinate 1900973.46781318 | Foot Tolerance : 250 | County : Cook | Intersection Related: Intersections | *See Notes at End of Report.

	TOTAL CRASHES	FATAL CRASHES	A INJU CRASH	RY B INJURY IES CRASHES	C INJURY CRASHES	PROPER DAMAC CRASH	GE KILLEI	L T D IN	OTAL JURED	A INJURIES	B INJURIES	C INJUF	RIES
	<u>12</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>10</u>	<u>0</u>		<u>2</u>	1	<u>0</u>		1
Ţ	ype of Crash	Total	%	Dayof Wk	Total	%	Hour of Day	То	tal %		Vehicle Type	Total	%
R	ear End	8	66.7%	Tuesday	6	50.0%	06 AM		2 16.7	% Motorcy	ycle (Over 150cc)	1	3.8%
Si	ideswipe Same Direction	1	8.3%	Thursday	3	25.0%	08 AM		1 8.39	% Passen	ger	13	50.0%
Т	urning	3	25.0%	Friday	1	8.3%	11 AM		1 8.39	% Pickup		4	15.4%
T	OTAL:	12		Saturday	2	16.7%	Noon		1 8.39	% SUV		7	26.9%
				TOTAL:	12		2 PM		2 16.7	7% Van/Mi	ni-Van	1	3.8%
							3 PM		1 8.39	% TOTAL	:	26	
							4 PM		1 8.39	%			
							8 PM		1 8.39	%			
							9 PM		1 8.39	/o			
							11 PM		1 8.39	/o			
							TOTAL:		12				
и	leather Cond	Total	%	Light Cond	Total	%	Road Surface	Total	%	DIRP		Total	%
C	lear	11	91.7%	Darkness	1	8.3%	Dry		12 100	.0% East		6	23.1%
C	loudy/Overcast	1	8.3%	Darkness, Lighted Road	2	16.7%	TOTAL:		12	South		13	50.0%
T	OTAL:	12		Dawn	1	8.3%				South	west	1	3.8%
				Daylight	8	66.7%				West		6	23.1%
				TOTAL:	12					τοτΑ	L:	26	



By: CENTRAL\ADAMSCH

Page : 4 of 5

Coordinate Collision Diagram Report

1/1/2016 to 12/31/2016

For XCoordinate 2918779.19291442 : YCoordinate 1900973.46781318 | Foot Tolerance : 250 | County : Cook | Intersection Related: Intersections | *See Notes at End of Report.

	TOTAL CRASHES	FATAL CRASHES	A INJU CRASH	RY B INJURY IES CRASHES	C INJURY CRASHES	PROPER DAMAG CRASH	GE KILLED	- TOTA D INJUR	AL RED	A INJURIES	B INJURIES	C INJUF	RIES
	<u>13</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>10</u>	<u>0</u>	<u>5</u>		<u>0</u>	<u>3</u>		2
Т	pe of Crash	Total	%	Dayof Wk	Total	%	Hour of Day	Total	%		Vehicle Type	Total	%
Ar	ngle	3	23.1%	Monday	1	7.7%	07 AM	1	7.7%	Bus Ov	ver 15 Passengers	1	3.6%
Re	ear End	7	53.8%	Tuesday	3	23.1%	10 AM	2	15.4%	B Passer	nger	18	64.3%
Si	deswipe Same Direction	2	15.4%	Wednesday	2	15.4%	1 PM	2	15.4%	B Pickup		1	3.6%
Τι	Irning	1	7.7%	Friday	3	23.1%	3 PM	2	15.4%	SUV		6	21.4%
т	DTAL:	13		Saturday	2	15.4%	4 PM	1	7.7%	Tractor	r With Semi-Trailer	1	3.6%
				Sunday	2	15.4%	5 PM	1	7.7%	Van/Mi	ini-Van	1	3.6%
				TOTAL:	13		7 PM	2	15.4%	δ ΤΟΤΑΙ	L:	28	
							8 PM	1	7.7%				
							11 PM	1	7.7%				
							TOTAL:	13					
w	eather Cond	Total	%	Light Cond	Total	%	Road Surface	Total	%	DIRP	,	Total	%
CI	ear	10	76.9%	Darkness, Lighted Road	4	30.8%	Dry	8	61.5%	East		7	25.0%
Ra	ain	3	23.1%	Daylight	9	69.2%	Wet	5	38.5%	North	I	7	25.0%
т	DTAL:	13		TOTAL:	13		TOTAL:	13		North	west	1	3.6%
										South	ı	9	32.1%
										West		4	14.3%
										τοτΑ	AL:	28	



By: CENTRAL\ADAMSCH

Page: 3 of 4

Coordinate Collision Diagram Report

1/1/2017 to 12/31/2017

For XCoordinate 2918779.19291442 : YCoordinate 1900973.46781318 | Foot Tolerance : 250 | County : Cook | Intersection Related: Intersections | *See Notes at End of Report.

	TOTAL CRASHES	FATAL CRASHES	A INJU CRASH		C INJURY CRASHES		E KILLED	TOTAI INJURE	D	A INJURIES	B INJURIES	C INJUF	RIES
	<u>10</u>	<u>0</u>	<u>0</u>	<u>3</u>	2	<u>5</u>	<u>0</u>	<u>10</u>		<u>0</u>	<u>4</u>		<u>6</u>
Тур	e of Crash	Total	%	Dayof Wk	Total	%	Hour of Day	Total	%		Vehicle Type	Total	%
Rea	r End	6	60.0%	Tuesday	1	10.0%	03 AM	1	10.0%	Passenge	ər	17	81.0%
Tur	ning	4	40.0%	Wednesday	4	40.0%	04 AM	1	10.0%	Pickup		2	9.5%
то	TAL:	10		Friday	3	30.0%	2 PM	1	10.0%	SUV		2	9.5%
				Saturday	1	10.0%	4 PM	3	30.0%	TOTAL:		21	
				Sunday	1	10.0%	6 PM	1	10.0%				
				TOTAL:	10		10 PM	3	30.0%				
							TOTAL:	10					
We	ather Cond	Total	%	Light Cond	Total	%	Road Surface	Total	%	DIRP		Total	%
Cle	ar	6	60.0%	Darkness, Lighted Road	5	50.0%	Dry	7	70.0%	East		10	47.6%
Clo	udy/Overcast	1	10.0%	Daylight	4	40.0%	Wet	3	30.0%	North		1	4.8%
Rai	n	3	30.0%	Dusk	1	10.0%	TOTAL:	10		Northwe	est	1	4.8%
то	TAL:	10		TOTAL:	10					South		6	28.6%
										West		3	14.3%
										TOTAL	:	21	



Page: 3 of 4

Coordinate Collision Diagram Report

1/1/2018 to 12/31/2018

For XCoordinate 2918747.797 : YCoordinate 1900970.589 | Foot Tolerance : 250 | County : Cook | Intersection Related: Intersections | *See Notes at End of Report.

TOTAL CRASHES	FATAL CRASHES	A INJU CRASH		C INJURY CRASHES	PROPER DAMAGE CRASHE	E KILLED	TOTAL INJURED	A INJU	JRIES	B INJURIES	C INJUI	RIES
<u>9</u>	<u>0</u>	<u>0</u>	<u>0</u>	2	<u>7</u>	<u>0</u>	2		<u>0</u>	<u>0</u>		<u>2</u>
Type of Crash	Total	%	Dayof Wk	Total	%	Hour of Day	Total	%		Vehicle Type	Total	%
Front to Rear	7	77.8%	Monday	4	44.4%	09 AM	1	11.1%	Other		1	5.6%
Turning	2	22.2%	Wednesday	1	11.1%	3 PM	2	22.2%	Passeng	er	11	61.1%
TOTAL:	9		Friday	2	22.2%	4 PM	1	11.1%	SUV		4	22.2%
			Sunday	2	22.2%	5 PM	3	33.3%	Truck Sir	ngle Unit	1	5.6%
			TOTAL:	9		6 PM	1	11.1%	Van/Mini	-Van	1	5.6%
						8 PM	1	11.1%	TOTAL:		18	
						TOTAL:	9					
Weather Cond	Total	%	Light Cond	Total	%	Road Surface	Total	%	DIRP		Total	%
Clear	7	77.8%	Darkness, Lighted Road	1	11.1%	Dry	8	88.9%	East		6	33.3
Cloudy/Overcast	2	22.2%	Daylight	8	88.9%	Wet	1	11.1%	North		2	11.1
TOTAL:	9		TOTAL:	9		TOTAL:	9		South		6	33.3
									West		4	22.2
									TOTAL	.:	18	



Page : 4 of 6

Coordinate Collision Diagram Report

1/1/2019 to 12/31/2019

For XCoordinate 2918747.797 : YCoordinate 1900970.589 | Foot Tolerance : 250 | County : Cook | Intersection Related: Intersections | *See Notes at End of Report.

	TOTAL CRASHES	FATAL CRASHES	A INJU CRASH	RY B INJURY IES CRASHES	C INJURY CRASHES	PROPER DAMAC CRASH	GE KILLED	TOT <i>I</i> INJUR		A INJURIES E	3 INJURIES	C INJUF	RIES
	<u>12</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>10</u>	<u>0</u>	<u>2</u>		<u>0</u>	<u>0</u>		2
Ţ	pe of Crash	Total	%	Dayof Wk	Total	%	Hour of Day	Total	%		Vehicle Type	Total	%
Fr	ont to Rear	8	66.7%	Monday	1	8.3%	09 AM	1	8.3%	Bus 9 to 15	seats	1	4.2%
Si	deswipe Same Direction	2	16.7%	Tuesday	2	16.7%	10 AM	1	8.3%	Passenger		12	50.0%
Τι	rning	2	16.7%	Thursday	2	16.7%	11 AM	1	8.3%	Pickup		1	4.2%
т	DTAL:	12		Friday	2	16.7%	1 PM	2	16.7%	SUV		6	25.0%
				Saturday	4	33.3%	2 PM	1	8.3%	Truck Singl	le Unit	1	4.2%
				Sunday	1	8.3%	3 PM	1	8.3%	Unknown		1	4.2%
				TOTAL:	12		6 PM	2	16.7%	Van/Mini-V	an	2	8.3%
							8 PM	1	8.3%	TOTAL:		24	
							9 PM	1	8.3%				
							10 PM	1	8.3%				
							TOTAL:	12					
w	eather Cond	Total	%	Light Cond	Total	%	Road Surface	Total	%	DIRP		Total	%
CI	ear	8	66.7%	Darkness, Lighted Road	3	25.0%	Dry	9	75.0%	East		8	33.3%
CI	oudy/Overcast	2	16.7%	Daylight	8	66.7%	Wet	3	25.0%	b North		2	8.3%
Ra	in	2	16.7%	Dusk	1	8.3%	TOTAL:	12		South		12	50.0%
т	DTAL:	12		TOTAL:	12					Southeas	t	1	4.2%
										West		1	4.2%
										TOTAL:		24	



Page: 3 of 4

Coordinate Collision Diagram Report

1/1/2020 to 12/31/2020

For XCoordinate 2918747.797 : YCoordinate 1900970.589 | Foot Tolerance : 250 | County : Cook | Intersection Related: Intersections | *See Notes at End of Report.

	TOTAL CRASHES	FATAL CRASHES	A INJU CRASH		C INJURY CRASHES	PROPER DAMAGI CRASHE	E KILLED	TOTAL INJUREI		JRIES	B INJURIES	C INJU	RIES
	<u>10</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>10</u>	<u>0</u>	<u>0</u>		<u>0</u>	<u>0</u>		<u>0</u>
Ту	e of Crash	Total	%	Dayof Wk	Total	%	Hour of Day	Total	%		Vehicle Type	Total	%
Fro	nt to Rear	5	50.0%	Monday	2	20.0%	11 AM	1	10.0%	Other		2	10.0%
Sid	eswipe Same Direction	2	20.0%	Tuesday	3	30.0%	Noon	1	10.0%	Passeng	er	9	45.0%
Tur	ning	3	30.0%	Wednesday	1	10.0%	2 PM	1	10.0%	Pickup		1	5.0%
то	TAL:	10		Friday	2	20.0%	3 PM	4	40.0%	SUV		5	25.0%
				Saturday	2	20.0%	4 PM	2	20.0%	Truck Sir	ngle Unit	1	5.0%
				TOTAL:	10		5 PM	1	10.0%	Unknowr	ı	2	10.0%
							TOTAL:	10		TOTAL:		20	
We	ather Cond	Total	%	Light Cond	Total	%	Road Surface	Total	%	DIRP		Total	%
Cle	ar	7	70.0%	Darkness, Lighted Road	1	10.0%	Dry	7	70.0%	East		2	10.0%
Clo	udy/Overcast	1	10.0%	Daylight	8	80.0%	Unknown	2	20.0%	North		3	15.0%
Unl	nown	2	20.0%	Unknown	1	10.0%	Wet	1	10.0%	Northw	est	2	10.0%
то	TAL:	10		TOTAL:	10		TOTAL:	10		South		11	55.0%
										West		2	10.0%
										TOTAL	:	20	



Page : 5 of 7

Coordinate Collision Diagram Report

1/1/2021 to 12/31/2021

For XCoordinate 2918777.15 : YCoordinate 1900973.896 | Foot Tolerance : 250 | County : Cook | Intersection Related: Intersections | *See Notes at End of Report.

	TOTAL CRASHES	FATAL CRASHES	A INJU CRASH		C INJURY CRASHES		GE KILLED	TOT/ INJUR		A INJURIES	B INJURIES	C INJU	RIES
	<u>17</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>14</u>	<u>0</u>	<u>3</u>		<u>1</u>	<u>0</u>		2
τ	ype of Crash	Total	%	Dayof Wk	Total	%	Hour of Day	Total	%		Vehicle Type	Total	%
A	ngle	4	23.5%	Monday	1	5.9%	02 AM	1	5.9%	Passeng	er	23	67.6%
F	ront to Rear	8	47.1%	Tuesday	3	17.6%	06 AM	1	5.9%	SUV		11	32.4%
R	ear to Front	1	5.9%	Wednesday	2	11.8%	07 AM	1	5.9%	TOTAL:		34	
S	ideswipe Same Direction	2	11.8%	Thursday	2	11.8%	Noon	1	5.9%				
Т	urning	2	11.8%	Friday	3	17.6%	1 PM	3	17.6%	5			
т	OTAL:	17		Saturday	5	29.4%	3 PM	3	17.6%	5			
				Sunday	1	5.9%	4 PM	1	5.9%				
				TOTAL:	17		7 PM	1	5.9%				
							8 PM	1	5.9%				
							9 PM	4	23.5%				
							TOTAL:	17					
и	Veather Cond	Total	%	Light Cond	Total	%	Road Surface	Total	%	DIRP		Total	%
С	lear	14	82.4%	Darkness, Lighted Road	6	35.3%	Dry	14	82.4%	East		10	29.4%
R	ain	2	11.8%	Dawn	1	5.9%	Snow or Slush	1	5.9%	North		9	26.5%
S	now	1	5.9%	Daylight	9	52.9%	Wet	2	11.8%	Northea	ast	2	5.9%
т	OTAL:	17		Dusk	1	5.9%	TOTAL:	17		South		9	26.5%
				TOTAL:	17					Southw	est	1	2.9%



By: ILLINOIS\Aaron.Rath

Page : 4 of 5

Coordinate Collision Diagram Report

1/1/2022 to 12/31/2022

For XCoordinate 2918780.478 : YCoordinate 1900974.75 | Foot Tolerance : 250 | County : Cook | Intersection Related: Intersections | *See Notes at End of Report.

	TOTAL CRASHES	FATAL CRASHES	A INJU CRASH		C INJURY CRASHES	PROPER DAMAG CRASHI	SE KILLED		IL ED	A INJURIES	B INJURIES	C INJUF	RIES
	<u>10</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>9</u>	<u>0</u>	1		<u>0</u>	<u>1</u>		<u>0</u>
Ту	pe of Crash	Total	%	Dayof Wk	Total	%	Hour of Day	Total	%		Vehicle Type	Total	%
Ar	gle	1	10.0%	Monday	2	20.0%	03 AM	1	10.0%	Bus 9 to	15 seats	1	4.3%
Fb	ed Object	1	10.0%	Tuesday	1	10.0%	10 AM	1	10.0%	Passenge	er	15	65.2%
Fr	ont to Rear	6	60.0%	Wednesday	1	10.0%	11 AM	1	10.0%	Pickup		1	4.3%
Re	ar to Front	1	10.0%	Friday	3	30.0%	Noon	1	10.0%	SUV		4	17.4%
Tu	rning	1	10.0%	Saturday	1	10.0%	2 PM	1	10.0%	Van/Mini-	Van	2	8.7%
т	DTAL:	10		Sunday	2	20.0%	3 PM	1	10.0%	TOTAL:		23	
				TOTAL:	10		4 PM	1	10.0%				
							7 PM	2	20.0%				
							8 PM	1	10.0%				
							TOTAL:	10					
w	eather Cond	Total	%	Light Cond	Total	%	Road Surface	Total	%	DIRP		Total	%
Cl	ear	9	90.0%	Darkness, Lighted Road	2	20.0%	Dry	9	90.0%	East		13	56.5%
Cl	oudy/Overcast	1	10.0%	Daylight	7	70.0%	Wet	1	10.0%	North		7	30.4%
т	DTAL:	10		Dusk	1	10.0%	TOTAL:	10		West		3	13.0%
				TOTAL:	10					TOTAL	:	23	



3. Traffic Volume

The table below shows a summary of the Average Daily Traffic Count (ADTC) at the intersection of **Roosevelt Rd and Mannheim Rd** over a span of 14 years.

The history of available ADTC on each approach was obtained from the IDOT website per the RLR Guideline document published by the IDOT and recorded in **bold** below. (<u>http://www.gettingaroundillinois.com/gai.htm?mt=aadt</u>)

The data from 2009-2012 shows the period prior to the installation of the RLR cameras.

The data from 2013 shows the year in which the cameras were installed.

The data from 2014-2022 shows the period following the installation.

	Direction Year	Eastbound	Westbound	Northbound	Southbound	Combined	Combined Avg
	2009	24,300	24,300	26,000	34,000	108,600	
Before	2010	24,300	24,300	26,000	34,000	108,600	112 400
Installation	2011	24,900	24,900	26,400	42,000	118,200	113,400
	2012	24,900	24,900	26,400	42,000	118,200	
	2013	28,400	29,700	28,600	38,800	125,500	
	2014	28,400	27,100	28,600	38,800	122,900	
	2015	28,700	27,100	28,600	38,700	123,100	
	2016	28,700	27,100	28,600	38,700	123,100	
	2017	22,500	27,100	25,800	38,100	113,500	
After Installation	2018	22,500	27,100	25,800	38,100	113,500	115,578
	2019	24,700	28,000	29,600	33,800	116,100	
	2020	24,700	28,000	29,600	33,800	116,100	
	2021	22,800	25,000	25,900	32,800	106,500	
	2022	22,800	23,900	25,900	32,800	105,400	


From 2009-2012, prior to RLR camera installation, the combined average of ADTC was 113,400.


From 2014-2022, post RLR camera installation, the combined average of ADTC was 115,578 - a slight increase of 1.92%.

The following pages show the complete ADTC data from 2009-2022 obtained from the IDOT's website.

The traffic numbers below were obtained from the IDOT website during the preparation of past reports and now per the RLR Guideline document published by the IDOT. Only ADTC values were available, peak numbers were not provided.


Eastbound ADTC










Westbound ADTC









Northbound ADTC





Southbound ADTC







The summary of tickets contested "in person" and "by mail" for the **Westbound** approach of **Roosevelt Rd and Mannheim Rd** from 2021 to 2022.

	2021	2022
In Person	117	106
By Mail	118	89

The summary of tickets contested "in person" and "by mail" for the **Northbound** approach of **Roosevelt Rd and Mannheim Rd** from 2021 to 2022.

	2021	2022
In Person	64	81
By Mail	54	60



5. Report Summary and Recommendation

The **Village of Westchester** uses state-of-the-art digital cameras to execute its RLR Enforcement Safety Program. The citation and adjudication process administered by the **Village of Westchester** is conducted in a courteous, professional and timely manner and is in compliance with the RLR regulations laid out by the Illinois Department of Transportation District 1 Bureau of Traffic Operations.

From 2009-2012, prior to RLR camera installation, the combined average of ADTC was 113,400. From 2014-2022, post RLR camera installation, the combined average of ADTC was 115,578 - a slight increase of 1.92%. (See tab 3)

From 2009-2012, prior to RLR camera installation, there were 61 total crashes; this averages out to 15.25 crashes a year. From 2014-2022, post RLR camera installation, there were 108 total crashes; this averages out to 12 crashes per year - a 21.31% reduction of overall crashes in direct comparison with the time period aforementioned. (See tab 2)

Following the installation of the RLR cameras, total crashes have gone down 21.31%, even with the increase of 1.92% in the combined average of ADTC.

After analyzing all of the available data, we believe that the RLR cameras currently in operation at the intersection of Roosevelt Rd and Mannheim Rd in the **Village of Westchester** are making a contribution toward improving traffic safety.

Because enhanced traffic safety is the principal aim of RLR camera enforcement programs, RLRC systems should remain at this intersection as an integral part of a traffic system process that incorporates public education, enforcement and engineering.